SOUTHERN PACIFIC COMPANY

(PACIFIC LINES)

36

TIME TABLE

FOR THE

SHASTA DIVISION

To Take Effect Sunday, September 25, 1927, at 12:01 A. M.

PACIFIC STANDARD TIME (120th MERIDIAN)

For the government and information of employes only.

J. H. DYER,
General Manager.

F. L. BURCKHALTER,
First Assistant General Manager.

R. L. RUBY,
Superintendent of Transportation.

T. AHERN,
Assistant General Manager.

J. W. FITZGERALD
Superintendent.

EASTWARD

GERBER SUBDIVISION

Time Table No. 36

September 25, 1927

Capacity of sidings in car lengths	SECOND CLASS 222 Portland Manifest Leave Daily	FIRST CLASS 18 Cascade Leave Daily	16 West Coast Leave Daily	14 Oregonian Leave Daily	12 Shasta Leave Daily	Distance from San Francisco via Marysville			STATIONS
Term. Yd. WFYPBK	7.15 AM	10.30 PM	1.40 PM	6.10 AM	1.50 AM	213.8	Block Signals	TO-R	GERBER 2.0
				f		215.8			PROBERTA 3.1
86-47 P	7.30	10.39	1.49	6.18	2.00	218.9			RAWSON 4.5
63-57 WP	7.40	**10.47**	s 1.57	s **6.28**	f 2.10	223.4		TO	RED BLUFF 5.5
73 P	7.55	10.56	**2.10**	6.37	2.19	228.9			BLUNT 3.3
21						232.2			IVREA (Spur) 1.4
82 P	8.08	**11.04**	**2.25**	f 6.46	**2.27**	233.6			HOOKER 6.8
76 WP	8.20	11.14	f 2.38	s 6.58	2.37	240.4		TO	COTTONWOOD 3.8
76 P	8.27	11.20	2.45	7.05	2.43	244.2			CULP 2.9
71 P	**8.32**	11.25	f 2.53	s 7.13	2.48	247.1		TO	ANDERSON 2.1
						249.2			ANDERSON BRICK YARD 4.3
66 P	8.43	11.35	3.03	f 7.23	2.57	253.5			GIRVAN 4.7
82-86 WBPK I	8.58	11.45	s 3.18	s 7.40	f 3.09	258.2		TO-R	REDDING 2.8
18				f		261.0			MIDDLE CREEK (Spur) 2.9
67 P	9.10	**11.56 PM**	3.33	f 7.51	3.20	263.9			KESWICK 2.0
				f		265.9			CENTRAL MINE 1.3
P			f	s		267.2		TO	MATHESON 0.8
54 WP	9.24	12.06 AM	3.42	8.03	**3.30**	268.0			MOTION 3.0
84 P	9.33	12.13	3.49	f 8.10	3.37	271.0			CORAM 4.7
88 P	9.47	12.24	f 4.02	s 8.24	3.48	275.7		TO	KENNET 2.6
60 P	**10.00**	12.30	4.08	f 8.33	3.54	278.3		TO	PITT 1.9
86 YWPF	10.06	12.35	4.13	f 8.39	**3.59**	280.2			MORLEY 3.6
47 P	10.17	12.44	4.21	f 8.49	4.07	283.8			ELMORE 3.8
86 P	10.31	12.54	4.31	f 9.02	4.16	287.6		TO	POLLOCK 2.9
4				f		290.5			ANTLER (Spur) 0.6
77 P	**10.42**	1.04	4.40	**9.15**	4.25	291.1			SMITHSON 5.6
76 WP	**11.05**	1.21	f 4.57	s 9.33	4.42	296.7		TO	DELTA 3.5
39 P	11.17	1.30	5.06	f **9.44**	4.51	300.2			LAMOINE 3.8
74 P	11.29	1.39	5.15	f 9.55	5.00	304.0			GIBSON 2.0
73 P	11.35	**1.48**	5.20	f 10.02	5.05	306.0			FISHER 3.4
73 WP	**11.52 AM**	1.57	5.30	f **10.14**	5.14	309.4		TO	SIMS 2.4
8				f		311.8			FLUME (Spur) 1.3
84 P	12.13 PM	**2.05**	5.40	f 10.26	5.24	313.1			CONANT 2.2
55 P	12.21	2.12	f 5.50	s 10.36	5.32	315.3		TO	CASTELLA 0.8
34 P Industrial Track						316.1			DIRIGO 2.2
76 P	12.31	2.20	**6.01**	f 10.47	5.43	318.3			CASTLE CRAG 2.9
Term Yard PBK	12.40 PM	2.25	6.09	10.55	5.50	321.2		TO-R	DUNSMUIR YARD 0.9
Term Yd. WFTPBK		s 2.30 AM	s **6.15 PM**	s **11.00 AM**	s 5.55 AM	322.1		TO-R	DUNSMUIR (Pass. Sta.)
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily				(108.3)
	(5.25)	(4.00)	(4.35)	(4.50)	(4.05)				Time over District.
	19.83	27.08	23.63	22.40	26.52				Average speed per hour.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
14	Sweet Briar MP 314.8	Receive and Discharge	Any Station	Any Station
14	Castle Rock MP 316.4	Receive and Discharge	Any Station	Any Station

Westward trains are superior to trains of the same class in the opposite direction.

Time Table No. 36

September 25, 1927

GERBER SUBDIVISION

WESTWARD

Block Signals

STATIONS	Distance from Dunsmuir	FIRST CLASS				THIRD CLASS					
		11	15	17	13	201	239	237	203	221	205
		Shasta	West Coast	Cascade	Oregonian	Freight	Local Freight	Local Freight	Freight	Manifest Freight	Freight
		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Except Monday	Arrive Daily Except Sunday	Arrive Daily	Arrive Daily	Arrive Daily
TO-R GERBER 2.0	108.3	s 5.15 AM	s 12.30 PM	s 2.57 PM	s 11.05 PM	6.50 AM	11.20 AM		2.50 PM	4.00 AM	12.01 AM
PROBERTA 3.1	106.3										
RAWSON 4.5	103.2	5.06	12.15	2.48	10.55	6.37	11.00		2.38	3.40	11.43 PM
TO RED BLUFF 5.5	98.7	f 4.58	s 12.06 PM	2.41	s **10.47**	**6.28**	10.45		2.29	3.20	11.34
BLUNT 3.3	93.2	4.45	11.53 AM	2.31	10.27	6.13	9.55		**2.10**	2.45	11.19
IVREA (Spur) 1.4	89.9										
HOOKER 6.8	88.5	4.38	f 11.42	**2.25**	10.15	5.58	9.40		1.50	**2.27**	**11.04**
TO COTTONWOOD 3.8	81.7	4.27	s 11.29	2.15	s 10.02	5.41	9.15		1.38	1.35	10.38
CULP 2.9	77.9	4.20	11.21	2.09	9.55	5.34	9.00		1.31	1.10	10.31
TO ANDERSON 2.1	75.0	4.14	s 11.16	2.05	s 9.49	5.28	**8.32**		1.25	1.00	10.25
ANDERSON BRICK YARD 4.3	72.9										
GIRVAN 4.7	68.6	4.04	11.05	1.57	f 9.37	5.17	8.05		1.14	12.35	10.14
TO-R REDDING 2.8	63.9	f 3.54	s 10.55	1.51	s 9.27	5.07	7.50 AM	† 1.40 PM	1.04	12.20 AM	10.04
MIDDLE CREEK (Spur) 2.9	61.1										
KESWICK 2.0	58.2	3.41	10.37	1.39	f 9.08	4.50		1.20	12.47	**11.56 PM**	9.47
CENTRAL MINE 1.3	56.2										
TO MATHESON 0.8	54.9		s		f						
MOTION 3.0	54.1	**3.30**	10.25	1.29	8.56	4.36		12.55	12.33	11.00	9.33
CORAM 4.7	51.1	3.18	10.18	1.22	f 8.49	4.27		12.45	12.24	10.40	9.24
TO KENNET 2.6	46.4	3.06	s 10.08	1.12	s 8.37	4.13		12.30	12.10	10.10	9.10
TO PITT 1.9	43.8	3.00	f **10.00**	1.06	f 8.28	4.05		12.15	12.02 PM	9.50	9.02
MORLEY 3.6	41.9	2.55	9.54	1.01	f 8.22	**3.59**		12.05 PM	11.56 AM	9.35	8.56
ELMORE 3.8	38.3	2.46	9.42	12.53	8.10	3.43		**11.45 AM**	**11.45**	9.20	8.45
TO POLLOCK 2.9	34.5	2.37	f 9.27	12.44	f 7.56	3.32		11.20	11.33	9.05	8.33
ANTLER (Spur) 0.6	31.6				f						
SMITHSON 5.6	31.0	2.28	**9.15**	12.36	7.45	3.21		**10.42**	11.22	8.45	8.22
TO DELTA 3.5	25.4	2.15	f 9.01	12.23	s 7.31	2.59		10.15	**11.05**	8.15	8.00
LAMOINE 3.8	21.9	2.05	f 8.51	12.15	f 7.21	2.48		**9.44**	10.43	8.00	7.49
GIBSON 2.0	18.1	1.56	8.40	12.06	f 7.10	2.36		9.26	10.31	7.45	7.37
FISHER 3.4	16.1	**1.48**	8.35	12.01 PM	f 7.05	2.30		9.20	10.25	**7.30**	**7.30**
TO SIMS 2.4	12.7	1.39	8.26	**11.52 AM**	f 6.56	2.19		9.05	**10.14**	7.10	7.20
FLUME (Spur) 1.3	10.3										
CONANT 2.2	9.0	1.30	8.15	11.44	f **6.45**	**2.05**		8.50	9.57	**6.45**	7.08
TO CASTELLA 0.8	6.8	1.25	f 8.08	11.39	s 6.38	1.51		8.40	9.50	6.25	7.01
DIRIGO 2.2	6.0										
CASTLE CRAG 2.9	3.8	1.18	7.58	11.32	f 6.28	1.42		8.25	9.41	**6.01**	6.52
TO-R DUNSMUIR YARD 0.9	0.9	1.11	7.50	11.25	6.20	1.30 AM		8.10 AM	9.30 AM	5.30 PM	6.40 PM
TO-R DUNSMUIR (Pass.Sta.)	0.0	1.06 AM	7.45 AM	11.20 AM	**6.15 PM**						
(108.3)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Except Monday	Leave Daily Except Sunday	Leave Daily	Leave Daily	Leave Daily
Time over District..........................		(4.09)	(4.45)	(3.37)	(4.50)	(5.20)	(3.30)	(5.30)	(5.20)	(10.30)	(5.21)
Average speed per hour..........................		26.05	22.80	29.94	22.40	20.30	12.68	11.45	20.30	10.23	20.24

Westward trains are superior to trains of the same class in the opposite direction.

†Time of No. 237 at Redding applies at switch of crossover to storage track.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
13	Castle Rock MP 316.4	Receive and Discharge	Any Station	Any Station
13	Sweet Briar MP 314.8	Receive and Discharge	Any Station	Any Station

EASTWARD

DUNSMUIR SUBDIVISION

Time Table No. 36

September 25, 1927

Capacity of sidings in car lengths	SECOND CLASS 222 Portland Manifest	SECOND CLASS 224 Manifest Freight	SECOND CLASS 232 Local Freight	FIRST CLASS 16 West Coast	FIRST CLASS 30 Pelican	FIRST CLASS 14 Oregonian	FIRST CLASS 12 Shasta	FIRST CLASS 18 Cascade	Distance from San Francisco via Marysville	STATIONS	
	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Term. Yd. PBK	6.30PM	5.00PM							321.2	TO-R DUNSMUIR YARD	0.9
Term. Yd. WFTPBK				6.30PM		11.15AM	6.05AM	2.40AM	322.1	TO-R DUNSMUIR (Pass Sta)	3.3
P				f		s 11.30			325.4	† TO SHASTA SPRINGS	0.7
86 P	6.55	**5.43**		6.45		11.34	6.20	2.55	326.1	SMALL	1.5
28 P	7.05	5.53		6.50		f 11.39	6.25	3.00	327.6	CANTARA	3.8
87 P	7.30	6.13		7.05		f 11.55AM	6.40	3.12	331.4	MOTT	2.1
87 P	**7.45**	6.23		7.12		f 12.02PM	**6.51**	3.19	333.5	AZALEA	3.2
116 WYP	8.05	6.40		f 7.20		s 12.17	f 7.00	**3.27**	336.7	TO MOUNT SHASTA	2.4
33 P	8.20	6.50		**7.27**		f 12.27	7.07	3.34	339.1	UPTON	3.2
82 YP	8.33	**7.06**		7.35		f **12.36**	7.13	3.41	342.3	DEETZ	2.7
E-74 W-117 WYP	8.50	7.18PM		f 7.45	12.55PM	s 12.45PM	s 7.20AM	3.48	345.0	TO-R BLACK BUTTE	7.2
84 P	9.20			7.57	f 1.08			4.01	352.2	HOTLUM	5.0
115 P	9.45			8.07	f 1.18			4.10	357.2	BOLAM	3.5
84 P	10.05			8.15	f 1.26			4.16	360.7	ANDESITE	4.1
84 P	10.25			8.23	f 1.35			4.23	364.8	COUGAR	2.9
P	10.40		10.55AM	8.28	f 1.41			4.28	367.7	JUNCTION (No Siding)	0.8
128 WYP	11.05		11.00	8.31	s 1.43			4.30	368.5	TO GRASS LAKE	4.6
60 P	11.25		**11.35**	8.38	f 1.52			4.36	373.1	ERICKSON	4.1
82 P	11.45		11.50AM	8.45	f 1.58			4.41	377.2	PENOYAR	3.4
WYP	11.58PM		12.05PM	8.51	s 2.04			4.45	380.6	TO LEAF (No Siding)	1.3
68 P	**12.29AM**		12.45	8.53	s 2.08			4.47	381.9	TO BRAY	4.1
84 P	12.42		1.30	9.00	f 2.15			4.53	386.0	KEGG	4.0
63 P	12.55		2.00	9.07	f 2.22			**5.01**	390.0	JEROME	4.0
96 101 WFY PBK	1.08		2.15PM	9.14	s 2.29			5.07	394.0	TO-R MT. HEBRON	2.7
63 P	1.18			9.19	s 2.35			5.11	396.7	TO MACDOEL	1.6
85 P	1.23			9.22	f 2.39			5.13	398.3	SOMERSET	4.3
62 P	1.34			9.29	f **2.48**			5.19	402.6	MAY	4.5
109 P	1.46			9.37	s 2.56			5.25	407.1	TO DORRIS	4.5
63 P	1.58			9.44	f 3.04			5.31	411.6	CALOR	4.0
82 WP	2.08			9.51	f **3.11**			5.36	415.6	WORDEN	2.6
62-30	2.14			9.56	f 3.19			**5.40**	418.2	ADY	4.1
67 P	**2.25**			10.03	f 3.28			5.47	422.3	MIDLAND	3.9
83	2.45			10.10	f 3.36			5.53	426.2	TEXUM	3.3
Term. Yd. WFTPBK	3.00AM			s 10.17PM	s 3.45PM			s 6.00AM	429.5	TO-R KLAMATH FALLS	
	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(108.3)	
	(8.30)	(2.18)	(3.20)	(3.47)	(2.50)	(1.30)	(1.15)	(3.20)		Time over District	
	12.74	10.35	7.89	28.38	29.82	15.26	18.32	32.44		Average Speed per Hour	

Block Signals

Westward trains are superior to trains of the same class in opposite direction.

†The schedule time of First Class Trains at Shasta Springs applies at the Mineral Spring.

The schedule time of No. 30 at Black Butte applies on Cascade main track at telegraph office and No. 30's equipment may occupy main track ten minutes in advance of leaving time.

Additional Stations
- Pioneer Spur M. P. 335.1
- Barnard Spur M. P. 335.4
- Graham Industrial Track M.P.356.0
- Ivan Spur M. P. 413.6

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
14	Shasta Retreat..MP 323.8	Receive and Discharge	Any Station	Any Station
30	Graham..........MP 356.0	Receive and Discharge	Any Station	Any Station
16	Dorris....................	Receive	Eugene	
30	Ivan............MP 413.6	Receive and Discharge	Any Station	Any Station
30	Setzer..........MP 427.5	Receive and Discharge	Any Station	Any Station

DUNSMUIR SUBDIVISION

WESTWARD

Time Table No. 36

September 25, 1927

Block Signals

STATIONS	Distance from Klamath Falls	FIRST CLASS					SECOND CLASS						
		15	17	31	13	11	229	221	231	235	223	215	217
		West Coast	Cascade	Pelican	Oregonian	Shasta	Local Freight	Manifest Freight	Local Freight	Local Freight	Manifest Freight	Freight	Freight
		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Monday	Arrive Daily	Arrive Daily Ex. Monday	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily
TO-R DUNSMUIR YARD 0.9	108.3							11.05 AM		3.10 PM	4.45 PM	8.35 PM	4.30 AM
TO-R DUNSMUIR (Pass Sta) 3.3	107.4	s 7.30 AM	s 11.10 AM		s 6.00 PM	s 12.56 AM		11.00					
TO SHASTA SPRINGS 0.7	104.1	7.20 s 7.15			f								
SMALL 1.5	103.4	7.13	10.55		5.43	12.41		10.42		2.45	4.29	8.19	4.14
CANTARA 3.8	101.9	7.09	10.50		f 5.38	12.36		10.37		2.40	4.24	8.14	4.09
MOTT 2.1	98.1	6.57	10.38		f 5.26	12.24		10.25		2.15	4.12	8.02	3.57
AZALEA 3.2	96.0	6.51	10.32		f 5.19	12.18		10.08		1.55	3.55	7.45	3.40
TO MOUNT SHASTA 2.4	92.8	6.44	10.25		s 5.12	12.11		9.58		1.30	3.45	7.35	3.27
UPTON 3.2	90.4	6.36	10.19		f 5.04	12.05 AM		9.50		12.55	3.20	7.27	3.05
DEETZ 2.7	87.2	6.29	10.12		f 4.57	11.58 PM		9.40		12.36	3.10	7.06	2.51
TO-R BLACK BUTTE 7.2	84.5	f 6.22	f 10.05	s †4.35 PM	4.50 PM	11.51 PM		9.31		12.10 PM	3.00 PM	6.57	2.42
HOTLUM 5.0	77.3	6.07	9.50	f 4.23				9.09				6.35	2.20
BOLAM 3.5	72.3	5.58	9.41	f 4.14				8.55				6.21	2.06
ANDESITE 4.1	68.8	5.52	9.35	f 4.07				8.46				6.12	1.57
COUGAR 2.9	64.7	5.45	9.28	f 3.59				8.25				5.51	1.36
JUNCTION (No Siding) 0.8	61.8	5.40	9.23	f 3.53				8.16	11.55 AM			5.42	1.27
TO GRASS LAKE 4.6	61.0	5.38	9.21	s 3.51				8.10	11.50			5.36	1.21
ERICKSON 4.1	56.4	5.31	9.14	f 3.42				7.48	11.35			5.14	12.59
PENOYAR 3.4	52.3	5.24	9.08	f 3.34				7.33	11.15			4.59	12.44
TO LEAF (No Siding) 1.3	48.9	5.18	9.03	s 3.28				7.21	10.40			4.47	12.32
TO BRAY 4.1	47.6	5.16	9.01	s 3.25				7.18	10.15			4.44	12.29
KEGG 4.0	43.5	5.09	8.55	f 3.18				7.03	9.20			4.29	12.14
JEROME 4.0	39.5	5.01	8.49	f 3.11				6.53	9.10			4.19	12.04 AM
TO-R MT. HEBRON 2.7	35.5	4.55	8.43	s 3.04			5.00 AM	6.39	8.55 AM			4.05	11.50 PM
TO MACDOEL 1.6	32.8	4.50	8.39	s 2.59			4.50	6.24				3.50	11.35
SOMERSET 4.3	31.2	4.47	8.37	f 2.56			4.35	6.21				3.47	11.32
MAY 4.5	26.9	4.41	8.31	f 2.48			4.15	6.13				3.39	11.24
TO DORRIS 4.5	22.4	f 4.34	8.25	s 2.40			4.00	6.05				3.31	11.16
CALOR 4.0	17.9	4.27	8.19	f 2.32			3.00	5.55				3.21	11.06
WORDEN 2.6	13.9	4.21	8.14	f 2.25			2.45	5.46				3.11	10.57
ADY 4.1	11.3	4.16	8.10	f 2.19			2.35	5.40				3.00	10.51
MIDLAND 3.9	7.2	4.09	8.03	f 2.10			2.25	5.27				2.52	10.43
TEXUM 3.3	3.3	4.02	7.57	f 2.02			2.15	5.19				2.44	10.35
TO-R KLAMATH FALLS	0.0	3.55 AM	7.50 AM	1.55 PM			2.00 AM	5.05 AM				2.30 PM	10.20 PM
(108.3)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Monday	Leave Daily	Leave Daily Ex. Monday	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily
Time Over District		(3.35)	(3.20)	(2.40)	(1.10)	(1.05)	(3.00)	(6.00)	(3.00)	(3.00)	(1.45)	(6.05)	(6.00)
Average Speed per hour		29.97	32.22	31.69	19.63	21.13	11.83	18.05	8.77	7.93	13.60	17.80	18.05

Westward trains are superior to trains of the same class in the opposite direction.

† The Schedule Time of No. 31 at Black Butte applies on Cascade Main Track at Telegraph Office.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
13	Upper Soda Springs MP 321.1	Receive and Discharge	Any Station	Any Station
13	Shasta Retreat.....MP 323.8	Receive and Discharge	Any Starion	Any Station
31	Setzer.............MP 427.5	Receive and Discharge	Any Station	Any Station
31	Ivan...............MP 413.6	Receive and Discharge	Any Station	Any Station
31	Graham.............MP 356.0	Receive and Discharge	Any Station	Any Station

EASTWARD KLAMATH FALLS SUBDIVISION WESTWARD

Time Table No. 36

September 25, 1927

Capacity of Sidings in Car Lengths	SECOND CLASS 226 Local Freight Leave Daily Ex. Sunday	SECOND CLASS 228 Local Freight Leave Daily Ex. Sunday	SECOND CLASS 222 Portland Manifest Leave Daily	FIRST CLASS 16 West Coast Leave Daily	FIRST CLASS 32 Pelican Leave Daily	FIRST CLASS 18 Cascade Leave Daily	Distance from San Francisco Via Marysville		STATIONS	Distance from Crescent Lake	FIRST CLASS 15 West Coast Arrive Daily	FIRST CLASS 17 Cascade Arrive Daily	FIRST CLASS 31 Pelican Arrive Daily	SECOND CLASS 209 Freight Arrive Daily	SECOND CLASS 227 Local Freight Arrive Daily Ex. Sunday	SECOND CLASS 211 Freight Arrive Daily	SECOND CLASS 225 Local Freight Arrive Daily Ex. Sunday	SECOND CLASS 221 Manifest Freight Arrive Daily
Term. Yd. WFTPBK		6.30 AM	5.30 AM	10.32 PM	8.00 AM	6.10 AM	429.5	TO-R	KLAMATH FALLS 2.4	98.9	s 3.45 AM	s 7.40 AM	s 1.40 PM	10.15 AM	5.30 PM	10.05 PM		3.30 AM
64 P		6.40	5.40	10.37	f 8.05	6.15	431.9		CHELSEA 2.1	96.5	3.39	7.34	f 1.30	10.06	5.15	9.57		3.20
68 P		6.55	5.50	10.42	f 8.09	6.19	434.0		WOCUS 4.9	94.4	3.34	7.30	f 1.25	9.59	5.05	9.50		3.10
83 P		**7.05** **8.30**	6.00	10.50	s **8.19**	6.27	438.9	TO	ALGOMA 3.7	89.5	3.26	**7.22**	s 1.15	9.49	4.40	9.40		3.00
62 P		8.40	6.10	10.56	f 8.24	6.32	442.6		OUXY 4.6	85.8	3.20	7.17	f 1.07	9.41	3.55	9.32		2.50
83 P		8.55	6.20	11.03	s 8.31	6.38	447.2		MODOC POINT 4.6	81.2	3.13	7.11	s 1.00	9.32	3.15	9.23		2.40
69 P		**9.22**	6.30	11.10	f 8.37	6.44	451.8		LOBERT 4.9	76.6	3.06	7.05	f 12.53	**9.22**	2.00	9.13		2.30
90 WYP		10.30	**6.45** **6.59**	f 11.17	s 8.48	**6.50**	456.7	TO	CHILOQUIN 1.3	71.7	f 2.59	**6.59**	s **12.46**	9.12	**1.30 PM** **11.45 AM**	9.03		2.15
88 P		**11.25**	7.30	11.20	f 8.52	**6.57**	458.0		PINE RIDGE 3.1	70.4	2.56	**6.57**	f 12.43	9.02	**11.25**	8.53		1.55
66 P		11.40 AM	8.00	11.25	f **8.57**	7.02	461.1		BRAY MILL 2.6	67.3	2.51	6.53	f 12.38	**8.57**	11.00	8.48		1.35
					f		463.7		LUMBERTON (Spur) 1.6	64.7			f					
85 P		**12.32 PM**	**8.44**	11.31	f 9.03	7.07	465.3		CALIMUS 2.6	63.1	2.45	6.48	f **12.32**	**8.44**	10.30	8.40		1.05
					f		467.9	Block Signals	WARKO (Spur) 1.2	60.5			f					
10					f		469.1		MARTIN (Spur) 1.2	59.3			f					
122-71 WYPB	3.00 PM	1.15 PM	**9.14**	11.38	s **9.14**	7.13	470.3	TO-R	KIRK 4.2	58.1	2.38	6.42	s 12.24	8.30	10.00 AM	8.25	10.35 PM	12.50
100 P	3.12		9.34	11.44	f 9.21	7.18	474.5		FUEGO 4.3	53.9	2.32	6.37	f 12.17	8.22		8.17	10.25	12.32
100 P	3.24		9.54	11.50	f 9.28	7.24	478.8		CHINCHALO 4.6	49.6	2.26	6.31	f 12.10	8.14		8.09	10.10	12.17 AM
100 W P	3.36		10.14	**11.57 PM**	f 9.35	7.30	483.4		LENZ 4.8	45.0	2.19	6.25	f 12.03 PM	8.06		8.01	10.00	**11.57 PM**
100 P	3.48		10.34	12.04 AM	f 9.42	7.37	488.2		MAZAMA 4.4	40.2	2.12	6.19	f 11.56 AM	7.51		7.46	9.25	11.39
100 P	4.01		10.50	12.10	f 9.48	**7.43**	492.6		DIAMOND LAKE 5.4	35.8	2.06	6.13	f 11.49	**7.43**		7.38	9.00	11.19
100 P	4.14		11.05	12.18	f 9.57	7.50	498.0		LONROTH 5.3	30.4	1.58	6.06	f 11.41	7.28		7.28	8.45	11.07
100 P	4.26		**11.33**	12.27	f 10.06	7.57	503.3		CHEMULT 3.9	25.1	1.51	5.59	f **11.33**	7.18		7.18	8.30	10.55
100WYP	4.38		11.55 AM	12.33	f 10.11	8.03	507.2	TO	PAUNINA 7.6	21.2	1.45	5.54	f 11.27	7.03		7.03	8.15	10.45
100 P	4.54		12.15 PM	12.43	f 10.22	8.13	514.8		MOWICH 4.7	13.6	1.35	5.44	f 11.16	6.49		6.49	8.00	10.30
100 P	5.04		12.30	12.52	f 10.29	8.20	519.5		KOTAN 4.5	8.9	1.28	5.38	f 11.09	6.40		6.40	7.45	10.15
100 P	5.15		12.45	12.59	f 10.36	8.27	524.0		UMLI 4.4	4.4	1.22	5.32	f 11.02	6.25		6.25	7.30	10.00
Term. Yd. WFYPBK	5.30 PM		1.00 PM	s 1.07 AM	s 10.45 AM	s 8.35 AM	528.4	TO-R	CRESCENT LAKE	0.0	1.15 AM	5.25 AM	10.55 AM	6.00 AM		6.00 PM	7.00 PM	9.30 PM
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(98.9)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily Ex. Sunday	Leave Daily
	(2.30) 23.24	(6.45) 6.05	(7.30) 13.19	(2.35) 38.29	(2.45) 35.96	(2.25) 40.93			Time over District Average speed per hour		(2.30) 39.56	(2.15) 43.95	(2.45) 35.96	(4.15) 23.27	(7.30) 5.44	(4.05) 24.22	(3.35) 16.21	(6.00) 16.65

Westward trains are superior to trains of the same class in the opposite direction.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
31 and 32	Mile Post 441.6	Receive and Discharge	Any Station	Any Station
31 and 32	Pelican Bay MP 432.5	Receive and Discharge	Any Station	Any Station

DUNSMUIR SUBDIVISION

	EASTWARD SECOND CLASS	EASTWARD FIRST CLASS							WESTWARD FIRST CLASS			WESTWARD SECOND CLASS	
Capacity of Sidings in Car Lengths	224 Manifest Freight Leave Daily	34 Pelican Leave Daily	14 Oregonian Leave Daily	12 Shasta Leave Daily	Distance from San Francisco Via Marysville	Block Signals	Time Table No. 36 September 25, 1927 STATIONS	Distance from Ashland	33 Pelican Arrive Daily	13 Oregonian Arrive Daily	11 Shasta Arrive Daily	235 Local Freight Arrive Daily Ex. Sunday	223 Manifest Freight Arrive Daily
74-117 WYP	7.25PM	4.55PM	12.55PM	7.21 AM	345.0	TO-R	BLACK BUTTE 2.0	85.3	s 12.35PM	s 4.25PM	s 11.50PM	12.05PM	2.40PM
57 P	7.35	f 5.05	f 1.01	7.26	347.0 345.8		IGERNA 2.6	83.3	f 12.25	f 4.10	11.44	11.30AM	2.25
59-77 WFYPKB	8.00	s 5.15PM	s 1.14	f 7.34	348.4	TO-R	WEED 5.0	80.7	12.15PM	s 4.00	f 11.36	11.05AM	2.10
53 WYP	8.20		s **1.29**	7.46	353.4	TO	EDGEWOOD 3.7	75.7		s 3.44	11.24		**1.29**
77 P	8.35		1.38	7.52	357.1		METCALF 3.9	72.0		3.34	11.16		12.55
75 P	8.50		s 1.47	7.58	361.0	TO	GAZELLE 8.1	68.1		s 3.26	11.09		12.40
74 P	9.10		s 2.00	8.08	369.1	TO	GRENADA 6.4	60.0		s 3.14	10.59		12.15PM
70 PK	9.40		s 2.15	f 8.18	375.5	TO	MONTAGUE 5.2	53.6		s 3.02	f 10.50		11.50AM
71 YP	10.05		f 2.25	8.28	380.7		SNOWDON 5.5	48.4		f 2.50	10.42		11.10
57 P	**10.31**		f **2.36**	8.39	386.2		AGER 2.2	42.9		f **2.36**	**10.31**		10.50
24 P	10.50		f 2.41	8.45	388.4		THRALL 2.1	40.7		f 2.22	10.25		10.35
45 WP	11.10PM		f 2.46	8.51	390.5		KLAMATHON 2.6	38.6		f 2.12	10.20		10.20
Yard WFYPBK	1.30AM		s 3.01	s **9.02**	393.1	TO-R	HORNBROOK 2.5	36.0		s 2.02	s 10.14		**10.00** **8.43**
73 P	2.00		3.10	9.08	395.6		PILOT 1.9	33.5		f 1.45	10.03		8.30
72 P	2.20		f 3.18	9.13	397.5		ZULEKA 4.3	31.6		f 1.39	9.58		8.20
54 P	3.20		s 3.34	9.24	401.8	TO	HILT 1.0	27.3		s 1.27	9.47		8.00
22	3.25		3.37	9.26	402.8		COLE 0.8	26.3		1.24	9.45		7.30
78 WP	3.30		3.39	9.28	403.6		ORCAL 3.8	25.5		1.22	9.43		7.25
62 P	4.00		3.59	9.38	407.4		GREGORY 2.6	21.7		1.12	9.33		7.08
73 P	4.30		4.15	9.45	410.0		WHITE POINT 2.2	19.1		1.05	9.26		6.47
101 TP	5.10		s 4.25	9.52	412.2	TO-R	SISKIYOU 1.9	16.9		s 12.55	9.19		6.35
65 P	5.30		4.32	10.05	414.1		VIADUCT 1.5	15.0		12.40	9.08		6.22
23 P	5.40		4.38	10.10	415.6		WALL CREEK 1.3	13.5		12.30	9.03		6.12
75 P	**6.02**		4.43	10.15	416.9		FOLIAGE 2.4	12.2		12.22	8.58		**6.02**
60 WP	6.17		s 4.55	10.22	419.3		STEINMAN 3.6	9.8		f 12.07PM	8.50		5.50
76 P	6.35		f 5.05	10.32	422.9		MISTLETOE 2.6	6.2		f 11.45AM	8.38		5.30
76 P	6.47		5.15	10.40	425.5		CLAWSON 3.6	3.6		f 11.35	8.29		5.15
Term. Yd. WFTPBK	7.00AM		s 5.25PM	s 10.50AM	429.1	TO-R	ASHLAND	0.0		11.25AM	8.20PM		5.00AM
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(85.3)		Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily
	(11.35)	(0.20)	(4.30)	(3.29)			Time Over District		(0.20)	(5.00)	(3.30)	(1.00)	(9.40)
	7.36	13.80	18.96	24.48			Average Speed per hour		13.80	17.06	24.37	4.60	8.82

Westward trains are superior to trains of the same class in the opposite direction.

ADDITIONAL FLAG STOPS TO RECEIVE AND DISCHARGE PASSENGERS				
Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)
13 and 14	Gregory Secton House MP 407	Receive and Discharge	Any Staton	Any Station

DUNSMUIR SUBDIVISION

EASTWARD							Time Table No. 36 September 25, 1927		WESTWARD	
		SECOND CLASS		FIRST CLASS					FIRST CLASS	SECOND CLASS
Capacity of Sidings in Car Lengths			232 Local Freight Leave Daily Ex. Sunday		Distance from San Francisco Via Marysville		STATIONS	Distance from Junction		231 Local Freight Arrive Daily Ex. Monday
Term. Yard WFYPBK			8.30AM		348.4	TO-R	WEED	24.0		s 1.55PM
11			f 8.50		351.7		3.3 EVANS (Spur)	20.7		f 1.37
29			f 9.05		353.9		2.2 GEAGAN	18.5		f 1.24
11			f 9.25		358.5		4.6 HOEY	13.9		f 1.07
36	P		f 9.45		360.6		2.1 DELANEY	11.8		f 12.55
30	P		f 10.10		365.9		5.3 MORRISON	6.5		f 12.34
	YP		f 10.17		366.5		0.6 MORRISON WYE	5.9		f 12.30
	P		f 10.32		369.2		2.7 PINELAND (No Siding)	3.2		f 12.18
	P		s 10.50AM		372.4 367.7	R	3.2 JUNCTION (No Siding)	0.0		12.05PM
			Arrive Daily Ex. Sunday				(24.0)			Leave Daily Ex. Monday
			(2.20) 10.29							(1.50) 13.09

Westward trains are superior to trains of the same class in the opposite direction.

Telephone between stations: MP 359.5.

The Following Applications and Additions are made to the Book of Rules:

RULE 2. The following are designated Watch Inspectors:

San Francisco, 65 Market St., S. A. Pope, Supervisor Time Service.
Sacramento, Cal., 1008 K St., H. T. Harger
Red Bluff, Cal..............G. C. Wilkins
Redding, Cal..........F. R. Dobrowsky
Dunsmuir, Cal...Carlquist & Nunamaker
Weed, Cal.................Joseph Chenis
Klamath Falls, Ore.........A. F. Glover
Ashland, Ore............Chas. A. White

RULE 72. When a section of double track is being used as single track under Form D-S, westward trains are superior to trains of the same class in the opposite direction.

RULE 83 (A). Only first class trains and trains originating or terminating will register at Dunsmuir (Passenger Station). Two train registers will be maintained at Dunsmuir Yard, one for the Gerber Subdivision and one for the Dunsmuir Subdivision. First-class trains will register by ticket at Dunsmuir Yard.

Westward first class trains registering by ticket at Dunsmuir Yard must be shown only on the Gerber Subdivision register. Registration of westward first-class trains arriving Dunsmuir (Passenger Station) and eastward first class trains leaving Dunsmuir (Passenger Station) will be transmitted by telephone by the operator at Dunsmuir (Passenger Station) to the operator at Dunsmuir Yard who must enter same on the Dunsmuir Subdivision register. Operators will be held responsible for proper transmission and entry and the entry must be verified by the operator at the yard office repeating the registration to the operator at the passenger station.

The Dunsmuir Subdivision register at the yard office must be checked as per Rule 83-C and any first or second class train appearing on the Dunsmuir Subdivision register at Dunsmuir Yard need not be checked against at Dunsmuir (Passenger Station).

The passenger station at Dunsmuir will be the initial and terminal point for first class trains and Dunsmuir Yard for all other trains.

Rule 83 (B). Except when necessary to check register against Superior train, trains may register by ticket at Kirk, Mt. Hebron, Siskiyou, Weed, Black Butte, Dunsmuir Yard and Redding.

RULE 83 (D). First class trains will obtain clearance card before leaving Dunsmuir Yard. Trains must obtain a clearance card before leaving
Hornbrook
Redding

RULE 93. Yard limits are defined by yard limit signs at the following stations
Gerber
Redding
Dunsmuir
Black Butte
Weed
Hornbrook
Ashland
Mount Hebron
Klamath Falls
Kirk
Crescent Lake

Road crews performing initial, terminal or turning point switching in Redding, Mt. Hebron, Weed, Kirk or Crescent Lake yard will be considered as yard crews within the meaning of Rule 93 of Rules and Regulations of the Transportation Department.

First class trains may occupy main track without flag protection while doing station work at Gerber, Dunsmuir, Black Butte, Klamath Falls, Kirk, Crescent Lake and Ashland except when on time of a first class train.

RULE 98. The normal position of Junction Switch (1,200 feet west of train order office) Black Butte is for Cascade Line.

East Siding extends from east end Black Butte Yard to the cross-over at east end of east leg of wye.

West Siding extends from connection Siskiyou main track 1,000 feet east of Train Order Office to extreme west switch.

Westerly extension of the East Siding from east switch of east leg of wye to connection with Siskiyou main track 800 feet east of east water column Black Butte must be kept clear and used as running track for engines to and from wye.

Westward first class trains from Cascade Line, taking siding Black Butte will use switch at Signal 3457 located near east end of east leg of wye.

The normal position of junction switch at Junction eight-tenths mile west of Grass Lake is for Cascade line.

Eastward trains via Delaney will not foul Cascade line at Junction eight-tenths mile west of Grass Lake without first protecting their train against eastward trains via Cascade line as per Rule 99. A derail and double arm indicator located just west of Junction switch.

RULE 221. That portion reading “Train-order office hours will be shown in the Time Table” is cancelled.

When train-order signal indicates proceed in both directions by day and in addition the light indicates proceed by night, the office will be considered a closed train-order office.

RULE 516. Overlap posts affecting trains are located:

Eastward Trains:—Dunsmuir Yard—515 feet west of signal 3210.
White Point—1000 feet west of signal 4104.
Viaduct—Fouling point west end of siding.
Wall Creek—Fouling point west switch.
Leaf—Fouling point west switch.
Texum—Near middle of yard.

Westward Trains:—Wall Creek—Fouling point west switch.
Pine Ridge—Near middle of yard.
Somerset—Middle of yard.

RULE 867. Passenger trains descending grade will stop four minutes at Steinman and freight trains descending grade will stop as indicated below, where trainmen will make careful inspection of all cars in train:

Steinman	10 minutes
Gregory	5 minutes
Cole or Orcal	5 minutes
Mile Post 359½ (Weed-Grass Lake Line)	5 minutes
Morrison	10 minutes
Weed or Edgewood	5 minutes
Mott or Azalea	5 minutes
Andesite or Bolam	5 minutes

When train is delayed at White Point or Foliage ten minutes, and inspection is made at such points, it will not be necessary to make further stop at next station, as above shown.

Freight trains between Gerber and Redding if stopped at Redding, need not make an additional stop for inspection, providing running inspection of train is made at Red Bluff.

Light engines on descending grade will stop sufficient time at regular freight train inspection station for inspection of engine and to permit heat of tires to equalize.

RULE 873.
DESCENDING LONG GRADES:

This applies between Edgewood and Delta
Snowdon and Ashland
Grass Lake and Weed
Grass Lake and Black Butte

RULE 875. Running air brake test must be made:

Snowdon	Eastward passenger trains.
Black Butte	Westward passenger trains. Eastward passenger trains via Weed.
Grass Lake	Westward passenger trains.

RULE 876. Standing air brake test must be made:

Siskiyou	All trains.
Grass Lake	Westward freight trains. Westward passenger trains via Morrison.
Hornbrook	Eastward trains
Black Butte	Westward freight trains from Siskiyou line. Eastward freight trains to Siskiyou line.

Eastward trains which have made standing air brake test at Mt. Shasta or Deetz need not make standing test at Black Butte.

Helper engines coupled in middle or rear of train must be cut off from forward portion before taking water, and where head engine cannot handle forward portion without assistance of helper, latter must not be cut off until forward portion has been shoved beyond water tank.

Leading and helper engines must not be cut off from head and rear portion of train at the same time at Steinman when taking water. When leading engine is coupled to train, after taking water, engineman will place automatic brake valve on lap, then sound one long whistle signal. Helper engineman will then make fifteen pounds reduction of brake pipe pressure, leading engineman noting fall of brake pipe pressure will release brakes and after brake pipe has been charged, helper engine may then be cut off. Trainmen will not cut off helper engine until advised by helper engineman that brake pipe has been recharged.

AUTOMATIC BLOCK SYSTEM

Trains or engines stopped by Signals 2134, 2141 or 2149 at Gerber; 3208 or 3209 at Dunsmuir Yard; 3216, 3218, 3222 or 3223 at Dunsmuir; 3928 or 3935 at Hornbrook and 4292 West of Station Klamath Falls; 5282 at Crescent Lake, may then proceed with caution, not exceeding six miles per hour.

Route blade on Signal 4112 at west end of Tunnel No. 13 is normally in stop position and may be passed, providing top arm is in proceed position and train is to enter Siskiyou on main track.

When west switch of siding at Siskiyou is lined for siding and siding is not occupied between west switch and point sixty feet west of cross-over switch, and main track is not occupied between Signal 4112 and fouling point of cross-over to turntable track, top arm of Signal 4112 will indicate stop and route blade will indicate proceed, permitting train to pass Signal 4112 and take siding, providing train is required to take siding.

When a westward train is holding main track at Siskiyou to meet an eastward train and switch is open for train to enter siding, conductor of train holding main track will arrange to protect the eastward train against light engines or other trains occupying siding, and will give the eastward train sufficient room to avoid stopping engines in tunnel.

Westward trains receiving an order to meet an opposing train on track known as the turntable lead at Siskiyou (this is the track on the south side of main track used by helper engines in moving to and from turntable) will not pass Signal 4125 until it is known that opposing train has passed Signal 4112 at west end of Tunnel 13.

When necessary to send flagman through tunnel 13 train must wait until flagman calls on telephone from opposite end of tunnel and advises that track is clear for train to proceed.

When distant signal 4145 at east switch Viaduct indicates caution, westward trains must be prepared to stop before reaching fouling point at west end of siding.

Train occupying sidings or other tracks in territory protected by light signals must not open switch nor foul main track except under flag protection, when light is displayed in outgoing light signal unless train to be met has just passed. If light signal displays no indication account snow in hood, snow must be removed.

When leaving Automatic Block Signal territory, a fusee must be left at, or near, the last signal in the direction train is moving. Conductors and enginemen having knowledge from any source of a train preceding them less than ten minutes leaving Block Signal territory, must space themselves at last signal in accordance with Rule 91.

Signals in Dunsmuir Yard will govern tracks as follows:

Signal 3218 governs movement from work track through cross-over and on main track to Signal 3222.

Dwarf light Signal 3214 at derail east end of drill track governs movement from drill track to work track and will indicate clear only when both derail and switch to work track are open and track is unoccupied.

Signal 3222 governing eastward trains is located on left side of track.

INTERLOCKING

Switches at east end of westward siding at overhead bridge Redding are electrically controlled and operated from telegraph office. Trains stopped by signals must communicate with operator by telephone located on cabinet near switches and if authorized, movement may be made following flagman as per Rule 509. Prefix letter "S" applied to Number Plate Dwarf Light Signal 2586 west limits Redding identifies it as semi-automatic signal.

USE OF RETAINERS

Passenger Trains

All retainers will be used from Siskiyou to Ashland except that accessible retainers will be turned down after passing Yard Limit Board, Ashland, and from Siskiyou to Orcal and before passing over Bailey Hill until the water stop is made at Hornbrook, except that retainers on head end cars must be used from Siskiyou to Hornbrook and if stop is made at Hilt, they should be turned down momentarily.

Accessible retainers to be used Black Butte to Edgewood.

From Azalea to East Switch, Dunsmuir, accessible retainers to be used, except that if stop is made at Shasta Springs or west, retainers may be released.

Pineland to Mile Post 359½ near Delaney.

In operating retainers, they should be turned up commencing at head end, and when turned down, commencing at rear end of train.

Freight Trains

Speed of freight trains will be reduced at points where trainmen are required to handle retainers.

All retainers will be used descending grade between Ashland and Hornbrook, except that on eastward trains of empties, or trains consisting of loads and empties, every other retainer may be used on rear portion of the train.

It must be understood that all retainers must be used descending grade from Siskiyou to Hornbrook, and if necessary to cut out brake on any car conductor and engineman must be notified before train is allowed to proceed. Retainers must be turned down momentarily ascending grade Orcal to Hilt.

Sufficient retainers to control train will be used on descending grade between Dunsmuir and Edgewood, Snowdon and West switch at Hornbrook, and not less than fifty per cent of retainers must be used between Edgewood and Dunsmuir. When all retainers cannot be used, due to light grade condition, or trains consisting principally of empties, all retainers should be used on head end of train and every other retainer or every third retainer, as conditions warrant, must be turned up throughout remainder of train.

If stop is made between Thrall and Hornbrook, retainers must be turned down.

All retainers must be used descending grade Grass Lake to Mile Post 359½ near Delaney, and sufficient retainers to control trains of logs may be turned up on head end of trains of logs descending grade between Kirk and Chiloquin.

Retainers must be turned up on half of loaded cars in train, one-half of them to be turned up solid on head and remainder to be turned up on every other car until required number are turned up, Grass Lake to Black Butte.

Between Grass Lake and Black Butte on account of retainers being used, the speed of westward freight trains will not exceed 25 miles per hour and for the first five miles the time consumed in traveling any one mile will not be less than 3 minutes.

Retainers on one-fourth of the cars in train will be turned up on head end of all trains of forty-five cars or more Dunsmuir to Gibson.

Additional retainers will be turned up or down on instructions of engineer, if in his judgment it is necessary.

On loaded freight cars, except refrigerator cars, equipped with the 10-20 and 15-30 pound retainers, the maximum retaining pressure must be used on descending grade between Hornbrook and Ashland.

MISCELLANEOUS

1. Should air brakes become inoperative from any cause, train must be immediately secured with hand brakes and neither engine nor cars moved until brakes are made operative. Chief Train Dispatcher must be advised immediately of the trouble and if engineman cannot make repairs another engine must be called for. A train overtaking a train having a disabled air compressor must be properly secured with hand brakes. Engine will then be cut off and coupled to rear of the non-air train, brake pipe charged to standard pressure and air test made from front end of engine having defective air compressor. Disabled train with air brakes operative throughout will then be moved to nearest siding at a safe rate of speed, not exceeding six miles per hour on descending grades, and sufficient hand brakes must be set to effectively control slack action. If brakes on engines with defective air compressor are inoperative, Engineman will place reverse lever in opposite motion to which train is to be moved, and set hand brake on engine tender if moving forward in direction before disabled train is moved. Enginemen and conductors must have thorough understanding as to what is to be done and trainmen must be so stationed on the train as to be able to effectively pass signals.

2. Not more than one 2-10-2, SP-1 and 2 or Mallet type engine must be placed on head end of freight trains, nor more than two Consolidations or one Mikado and one Consolidation. 2-10-2, SP-1 and 2 or Mallet type engines must not be coupled ahead of 2200 or 2900 type engines when tonnage behind 2200 is in excess of its rating as shown in time table.

3. Helper enginemen on passenger trains will close cut-out cock between reducing valve and signal valve in air signal line, allowing signal system to be charged from road engine.

4. At points where engine is to be changed or cars set out or picked up, rear brakeman will open steam valve on rear of train at station one mile board and enginemen will shut off the steam one half mile from station.

5. Automatic street crossing signals do not protect crossings against movements on auxiliary tracks or reverse movements on main track. Trainmen must protect crossings while such movements are being made.

6. Outfit cars must not be left in front of warehouses, storehouses, or other buildings.

7. Passenger equipment handled in freight trains must be placed between cars equipped with carmen cutting lever.

8. Engines equipped with pilot plows must not be operated past log landings.

9. Instructions for setting hand brakes at Dunsmuir.

Passenger Trains	Two brakes on East End. Three brakes on West End.
Freight Trains	Three brakes on East End. Ten brakes east of overhead bridge. Seven brakes on West End.

10. Instructions for setting hand brakes at Dunsmuir Yard.

Passenger Trains	Three brakes on East End. Four brakes on West End.
Freight Trains	Ten brakes on West End. Ten brakes in center of train. Five brakes on east end.

11. Instructions for setting hand brakes at Ashland.

Passenger Trains	Two brakes on east end. Two brakes on west end.
Freight Trains	Five brakes on east end. Five brakes on west end.

12. Instructions for setting hand brakes at Klamath Falls.

Passenger Trains	Two brakes on west end. Two brakes on east end.
Freight Trains	Five brakes on west end. Five brakes on east end.

13. Hand brakes on freight trains must be set with the assistance of a brake club after train has come to a stop. Any employe releasing any of these brakes, must set as many others to replace them.

14. Engines must not be cut off until sufficient hand brakes set to secure train and yard air must not be coupled into train until engine is cut off.

15. Engines of freight trains, except eastward at Morley, must be detached to take oil.

16. Locomotive cranes or other similarly constructed cranes must be handled in train with heavy end forward and must be moved in local freight trains.

GERBER SUBDIVISION

21. At Redding, eastward siding is first track from main track going east to connection with westward siding at water column. Westward siding is second track from main track going east and continues to overhead bridge. Normal position of inside switches is for eastward siding.

22. Freight cars must not be left on coach track, Redding, when track is occupied by passenger cars.

23. SP-1 and 2, Mallet and 2-10-2 type engines must not be operated over the following switches: If any cars to be set out or picked up on these tracks, sufficient cars from the train must be coupled to engine while doing the work.

Red Bluff	Pioneer Fruit Spur.
Redding	Hoefer's and Sterling Lumber Co. Spurs.
Kennet	High Line Spur.
Pollock	Spur.
Lamoine	Industry Tracks.
Gibson	Spur.
Dirigo	Industrial Tracks.

Engines larger than Mikado must not use bridge on high line at Kennet.

24. Engines must not use cross-over to S. V. & E. Ry. or S. V. & E. Ry. storage track east of owner's post at Pitt.

25. Westward first class trains will not pass fouling point at first lead switch west end of Dunsmuir without a proceed signal from yardman.

26. Eastward trains, except first class, will not enter west end Dunsmuir Yard and westward engines and trains, except first class, will not pass Signal 3213 at signal shop east end Dunsmuir Yard, without proceed signal from yardman.

DUNSMUIR SUBDIVISION

30. SP-1 and 2 Mallet and 2-10-2 type engines must not be operated over the following switches: If any cars to be set out or picked up on these tracks, sufficient cars from the train must be coupled to engine while doing the work.

Pioneer	Industry Tracks beyond warehouse.
Barnard	Industry Tracks.
Mount Shasta	Schuler Knox Spur.
Deetz	Stem of Wye to Black Butte Quarry.
Igerna	Spur.
Weed	Shed Spur.

31. Locomotives must not operate over following Industrial Tracks.

Upton	General Oil Spur.
Montague	Wetzel Spur.
Ager	Spur beyond signal just east of Road Crossing.

32. Thrall siding must not be used by passenger trains, SP-1 and 2, 2-10-2 or Mallet type engines, except that two hundred feet of siding at west end may be used by light engines of any class. Engines must not use track of California, Oregon Power Co. at Thrall.

33. Engines larger than a consolidation must not be operated on industrial tracks between Bray and Klamath Falls and must use cars from the train when necessary to do the work.

34. At Mt. Hebron eastward siding is located on left hand side of main track going east and westward siding on left hand side of main track going west.

East end of crossover switch on eastward siding at Mt. Hebron must be normally lined for stock track.

36. When necessary to occupy McCloud River Railroad Company's tracks at Mount Shasta, including the west leg of wye it must be under protection of flag. Trackage arrangements with McCloud River Railroad Company prohibit this company's trains or engines using their main track from clearance with interchange track east end of yard to point opposite station building.

37. Freight trains which cannot get into clear at Cantara for first class trains will remain at Small or Mott.

38. Rear brakemen on freight trains descending grades between Dunsmuir-Metcalf, Snowdon-Ashland, Grass Lake-Weed, Grass Lake and Black Butte will observe track from rear door of caboose that trains may be stopped in event of derailment. Dietz lantern placed on rear of caboose will be used at night to assist in observing track.

On four brakemen trains fourth brakeman will be stationed near emergency hose on train, swing brakeman will ride cupola of caboose to watch train and for signals. This will not interfere with other assignment of brakemen by Conductor should necessity require it. In the absence of brakeman in cupola, Conductor must devote as much time as possible to watch train.

39. Freight trains taking siding at Grass Lake stop east of east house track switch to permit engine movement around wye track.

40. On arrival at Siskiyou, on westward trains, hand brakes must be set ahead of helper engine before cutting off and on rear portion of train when backing down to cut out helper.

41. The following rules will govern the handling of a passenger train which has parted from any cause on grades between Dunsmuir and Ashland, Hoey and Grass Lake: On ascending grade, when train has parted, angle cock must be closed at opening, and immediately all hand brakes must be set on detached portion starting at rear and head end, turning up retainers on all cars as hand brakes are being set. Air brakes must immediately be fully charged on detached portion by using air hose carried in baggage car for that purpose. If for any reason detached portion cannot be recharged immediately, or if necessary to leave rear portion standing, rear truck of detached portion must be chained to the rail in such manner as to derail cars should they start. Attempt must not be made to couple to detached portion until brake pipe has been fully charged and chain removed. After the train has been coupled, air must be applied from engine before hand brakes and retainers are released.

42. The tonnage of any freight train between Siskiyou-Hornbrook and Siskiyou-Ashland must not exceed 100 Ms per operative brake or 56 loads when handled on descending grade by Mallet, 2-10-2 or SP type engines. When other class engine used 90 Ms per operative brake will govern. Westward trains must not be moved out of Ashland in excess of this tonnage per operative brake. The limit of cars on eastward trains of empties will be governed by the full crew requirements.

43. The tonnage of any freight train descending grade Grass Lake and Weed via Morrison must not exceed 90 Ms per operative brake, nor 120 Ms per operative brake between Edgewood and Dunsmuir.

44. Light engines arriving at Dunsmuir from east, and at Ashland from west, desiring to enter roundhouse lead will sound whistle signal as follows o ——— o o.

45. Siding at Weed is located east of station building on opposite side of main track.

46. SP-1 and 2 type engines backing up must not use back coach track at Weed from east leg of wye.

47. Following whistle signals will be used by Siskiyou line trains to recall flag between Junction Switch at Black Butte and Weed and by trains operating between Weed and Junction Switch, eight-tenths mile west of Grass Lake via Delaney.

From East ——— ——— ——— ——— ——— ———.
From West ——— ——— ——— ——— o.

48. Switch at stem of wye at Weed is initial switch for trains to and from Grass Lake via Morrison.

49. No movement of trains, engines or cars must be made on old siding in front of telegraph office Weed while a train is moving on main track.

50. First sections of trains 11, 12, 13 and 14 will use main track at Ashland; trains 11 and 13 are superior to trains 12 and 14 within Ashland yard limits. Rule 93 governs, but eastward trains must clear the arriving time of opposing trains.

Second and following sections of trains 11, 12, 13 and 14 must use siding, which is first track parallel to main track, and be governed by rules 93 and 98-A.

Eastward freight trains will use No. 1 track and when necessary double over to No. 3 track.

Westward freight trains will use No. 4 track and when necessary double to No. 2 track.

During the hours no yard engine is on duty both freight and passenger trainmen will be required to head their trains in and out of Ashland yard, also set out or pick up any cars for their train and handle their engines to and from roundhouse, leaving all main track switches lined for main track. All switches leading off siding must be left locked and lined for siding.

51. Westward passenger trains making station stop at Steinman will stop with rear end west of the east switch.

KLAMATH FALLS SUBDIVISION

55. Engines larger than a Consolidation must not be operated on industrial tracks between Klamath Falls and Kirk.

56. Locomotives larger than F-1 must not operate over Algoma log spur and must use cars from the train when necessary to do the work.

SCALES

60. Track scale at Matheson is private scale.

WATER SUPPLY BETWEEN STATIONS

61. Three-quarter mile east of Cantara, one-quarter mile east of Grenada.

SPEED RESTRICTIONS

70. **Speed of Passenger Trains must not exceed 50 miles per hour.**

Speed of Freight and Mixed Trains must not exceed 35 miles per hour.

Trains with freight equipment fulfilling first class schedules will not exceed maximum speed allowed freight trains.

Trains must not exceed the speed in miles per hour shown below. This does not authorize exceeding other speed restrictions specified.

Page	BETWEEN	Passenger	Freight	LIGHT ENGINES	
				Running Forward	Running Backward
2-3	Gerber and Redding	50	35	30	25
2-3	Redding and one mile east of Middle Creek	40	35	30	25
2-3	One mile east of Middle Creek and Dunsmuir	28	20	25	15
4-5	Dunsmuir and Azalea	25	20	25	15
4-5	Azalea and Deetz	30	20	25	15
4-5-7	Deetz and Edgewood	25	20	25	15
4-5	Black Butte M.P. 345 to 355½	35	25	25	15
4-5	M.P. 355½ and Grass Lake	50	35	30	20
4-5	Grass Lake and Klamath Falls	50	35	30	20
6	Klamath Fallsand Crescent Lake	50	35	30	20
7	Edgewood and Snowdon	50	35	30	20
7	Snowdon and Ager	30	20	25	15
7	Ager and Thrall	25	20	25	15
7	Thrall and Hornbrook	30	20	25	15
7	Hornbrook and Hilt	25	15	20	10
7	Hilt and Cole	30	20	20	10
7	Cole and Clawson	25	15	20	10
7	Clawson and Ashland	30	20	20	10
8	Weed and Delaney	28	18	20	10
8	Delaney and Morrison	25	15	20	10
8	Morrison and Junction	28	18	20	10

On dredger fills between Worden and Midland, Texum and Klamath Falls, Wocus and Ouxy, Passenger Trains will not exceed forty-five miles per hour and Freight Trains thirty miles per hour.

By ordinance, the rate of speed of trains over street crossings is limited to eight miles per hour within the city limits of Redding and 12 miles per hour within the city limits of Red Bluff.

Mikado, Consolidation, 2-10-2 and SP-1 and 2 type engines must not exceed 45 mile per hour.

SP-1 and 2, F-3, F-4, and F-5 type engines must not exceed 28 miles per hour and F-6 25 miles an hour between one mile east of Middle Creek and Edgewood and Snowdon and Clawson.

Mallet Mogul type engines, 4200 to 4211 inclusive, must not exceed 35 miles per hour and when running light must not exceed 20 miles per hour between Ashland and Snowdon, Edgewood and one mile east of Middle Creek.

Mallet Consolidation type engines, 4000 to 4059 inclusive, must not exceed 20 miles per hour.

Yard engines must not exceed 20 miles per hour on tangent and 15 miles per hour on curves.

Trains with Mallet, F-4, F-5 and F-6 and SP-1 and 2 type engines must not exceed 10 miles per hour and trains with other class of engines 15 miles per hour through cross-overs, turn-outs and on sidings.

Mallet, 2-10-2 and SP-1 and 2 type engines must not exceed 6 miles per hour backing through cross-overs or turn-outs.

Engines moving westward on siding Lamoine must not exceed 8 miles per hour over spur switch at east end.

Engines using wye at Hornbrook must not exceed speed of 8 miles per hour.

Eastward trains must not exceed 15 miles per hour over switch at Barnard and 10 miles per hour when making switching moves.

Relief trains with steam derricks must not exceed 25 miles per hour and will be governed by other speed restrictions.

Trains handled by engines backing up will not exceed speed prescribed for light engines running backwards.

Trains handling logs must not exceed 20 miles per hour and must reduce speed to six miles per hour through tunnels and over the following bridges:

Sprague River Bridge, West of Chiloquin.
Dry Canyon Viaduct, between Hotlum and Bolam.
Klamath River Bridge, east of Klamathon.
Castle Creek Bridge, east of Castella.

and all crossing over the Sacramento River except 2nd, 4th, 5th and 18th crossings.

Trains must stop and inspection be made by crew of load and chains before passing through tunnels and over the bridges where speed is restricted, as out lined above.

Two Dietz lanters must be placed on rear of caboose after dark in order to enable crew to detect any logs which may have fallen from train.

Where trains handling logs take siding for a passenger train, train must be inspected to see that proper clearance exists to insure safe movement for passenger train.

Speed must be reduced to Ten Miles an hour when delivering ice or bundles of papers.

SPEED TABLE

Speed per Hour	1 Mile in Min. Sec.	Speed per Hour	1 Mile in Min. Sec.	Speed per Hour	1 Mile in Min. Sec.	Speed per Hour	1 Mile in Min. Sec.
6	10	21	2.51	31	1.56	41	1.27
8	7.30	22	2.43	32	1.52	42	1.25
10	6	23	2.36	33	1.49	43	1.23
12	5	24	2.30	34	1.45	44	1.21
15	4	25	2.24	35	1.42	45	1 20
16	3.45	26	2.18	36	1.40	46	1.18
17	3.31	27	2.13	37	1.37	47	1 16
18	3.20	28	2.8	38	1.34	48	1.15
19	3.9	29	2.4	39	1.33	49	1.13
20	3	30	2	40	1.30	50	1 12

STRUCTURES LESS THAN STANDARD CLEARANCE

M. P.	BETWEEN		Structure	Height	Crossing
276.6	Kennet	Pitt	Tunnel No. 2	17′ 5½″	
278.9	Pitt	Morley	Tunnel No. 3	18′ 2″	
285.7	Elmore	Antler	Tunnel No. 4	17′ 11″	
286.3	Elmore	Antler	Tunnel No. 5	17′ 2½″	
286.4	Elmore	Antler	Bridge No. 3	21′ 9¼″	Sacramento River
288.9	Pollock	Antler	Tunnel No. 6	21′ 2″	
295.6	Smithson	Delta	Tunnel No. 7	18′ 2½″	
299.8	Delta	Lamoine	Tunnel No. 8	18′ 00″	
301.8	Lamoine	Gibson	Bridge No. 6	21′ 8⅝″	Sacramento River
302.2	Lamoine	Gibson	Bridge No. 7	21′ 9″	Sacramento River
305.3	Gibson	Sims	Bridge No. 8	21′ 9″	Sacramento River
305.4	Gibson	Sims	Tunnel No. 9	17′ 8″	
306.7	Gibson	Sims	Bridge No. 9	21′ 9″	Sacramento River
307.0	Gibson	Sims	Tunnel No. 10	18′ 1″	
308.6	Gibson	Sims	Bridge No. 10	21′ 9″	Sacramento River
308.9	Gibson	Sims	Bridge No. 11	21′ 9″	Sacramento River
310.3	Sims	Flume	Bridge No. 12	21′ 10″	Sacramento River
310.4	Sims	Flume	Tunnel No. 11	18′ 1½″	
310.6	Sims	Flume	Bridge No. 13	21′ 9″	Sacramento River
315.8	Castella	Dirigo	Bridge No. 1	21′ 10″	Castle Creek
317.6	Castle Rock	Castle Crag	Bridge No. 14	21′ 9″	Sacramento River
317.8	Castle Rock	Castle Crag	Bridge No. 15	21′ 9″	Sacramento River
325.0	Shasta Retreat	Shasta Springs	Bridge No. 16	21′ 00″	Sacramento River
327.2	Small	Cantara	Bridge No. 17	21′ 9″	Sacramento River
329.4	Cantara	Mott	Tunnel No. 12	19′ 00″	
390.9	Klamathon	Hornbrook	Bridge	21′ 8″	Klamath River
411.3	White Point	Siskiyou	Tunnel No. 13	18′ 00″	
414.6	Viaduct	Wall Creek	Tunnel No. 14	18′ 3″	
415.2	Viaduct	Wall Creek	Tunnel No. 15	18′ 6″	
419.9	Steinman	Mistletoe	Tunnel No. 16	18′ 4″	
407.8	Dorris	Calor	Tunnel No. 1	21′ 4″	
400.0	Dorris	Calor	Tunnel No. 2	21′ 4″	
427.1	Texum	Klamath Falls	Highway Bridge.	21′ 11″	S. P. Tracks
456.0	Lobert	Chiloquin	Bridge	21′ 10″	Sprague River

Steinman and Sims water tanks, impaired side clearance.

Employes are warned that it is dangerous to stand erect on top of cars or to ride on sides of cars while passing these points and that they must protect themselves from injury.

LIST OF SURGEONS, HOSPITAL DEPARTMENT

LOCATION	NAME	TITLE
San Francisco	Dr. W. B. Coffey	Chief Surgeon and Manager
Dunsmuir	Dr. W. G. Tucker	District Surgeon.
Dunsmuir	Dr. E. J. Cornish	District Surgeon.
Mt. Shasta	Dr. Paul Wright	District Surgeon.
Weed	Dr. W. E. Tebbe	District Surgeon.
Weed	Dr. C. W. Nutting	District Surgeon.
Montague	Dr. G. W. Dwinnell	District Surgeon.
Montague	Dr. Chas. Pius	District Surgeon.
Montague	Dr. H. Oftedal	District Surgeon.
Hornbrook	Dr. Irving L. Ward	District Surgeon.
Hilt	Dr. F. B. Lucas	District Surgeon.
Ashland	Dr. F. G. Swendenburg	District Surgeon.
Ashland	Dr. E. A. Woods	Assistant District Surgeon.
Gerber	Dr. F. J Bailey	District Surgeon.
Red Bluff	Dr. J. A. Owen, Jr	District Surgeon.
Cottonwood	Dr. Walter C. Hoyt	District Surgeon.
Anderson	Dr. G. E. Flora	District Surgeon.
Redding	Dr. C. E. Reed	District Surgeon.
Redding	Dr. C. A. Mueller	Assistant District Surgeon
Dorris	Dr. Paul Baron	District Surgeon.
Klamath Falls	Dr. E. D. Johnson	District Surgeon.
Klamath Falls	Dr. Chas. V. Rugh	Assistant District Surgeon.
Klamath Falls	Dr. Bernard J. Rea	Oculist and Aurist.
Chiloquin	D. L. T. Brock	District Surgeon.
Chiloquin	Dr. W. L. Cameron	District Surgeon.

HOSPITALS

GENERAL HOSPITAL	SAN FRANCISCO, CAL.
S. P. HOSPITAL	SACRAMENTO, CAL.

Note.—Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

LOCATION OF STRETCHERS

GERBER
REDDING
KENNET
DUNSMUIR
MT. SHASTA
WEED
MONTAGUE
HORNBROOK
ASHLAND
KLAMATH FALLS
DUNSMUIR YARD

RATING OF LOCOMOTIVES
(In M's of 1000 Pounds Back of Tender)

NOMINAL CLASS	OFFICIAL CLASS	ENGINE NUMBERS	Boiler Pressure	Ashland and Hornbrook	Dunsmuir and Edgewood Dunsmuir to Black Butte	Snowdon to Edgewood Edgewood to Hornbrook	Hornbrook to Snowdon	Gerber to Dunsmuir	Dunsmuir to Gerber	Dunsmuir to Gerber	Black Butte to Grass Lake	Mt. Hebron to Dunsmuir	Grass Lake to Klamath Falls Crescent Lake to Mt. Hebron	Klamath Falls to Crescent Lake
				Single	Single	Single	Single	Single	Single	Double Hooker Hill	Single	Single	Single	Single
T–1	T-63 20/26 112	2235 to 2273	180	410	680	1320	910	1320	2360	2600	1050	1600	3250	1850
T–26	T-69 21/28 152-S	2283 to 2300	200	....	800	....	....	....	....	....	1350	2000	4100	2350
T–23	T-63 21/28 148-S	2301 to 2308	210	590	1010	1930	1350	1930	3430	3780	....	....	....	....
T–28	T-63 22/28 162-S	2311 to 2352	210	700	1100	2120	1480	2120	3770	4140	1750	2600	5250	3050
C–9, 10	C-57 22/30 200-SF	2513 to 2599, 2752 to 2860	210	800	1260	2380	1670	2380	4190	4610	1950	2950	5850	3400
C–9, 10	C-57 22/30 194-S													
C–8	C-57 22/30 192-S	2698 to 2751												
C–5	C-57 22/30 187-S	2624 to 2679												
C–5	C-57 22/30 185-S	2680 to 2693												
C–5	C-57 22/30 180	2624 to 2679	200	690	1100	2100	1470	2100	3730	4100	1700	2550	5150	3000
C–5	C-57 22/30 178	2680 to 2693												
C–2	C-57 22/34 180-S	2600 to 2611	190	700	1110	2120	1480	2120	3750	4120	1900	2800	5550	3200
C–4	C-57 22/34 183-S	2612 to 2623												
C–2	C-57 22/34 172	2600 to 2611	185	670	1070	2040	1430	2040	3610	3970	1700	2550	5050	2950
C–4	C-57 22/34 176	2612 to 2623												
MK–2	MK-57 23¾/30 206-S	3200 to 3215	210	930	1470	2780	1950	2780	4910	5400	....	....	....	....
MK–4	MK-57 23¾/30 206-S	3216 to 3240	200	860	1370	2620	1830	2620	4640	5100	....	....	....	....
MK–5, 6	MK-63 26/28 210-S	3241 to 3277	200	950	1500	2840	2000	2500	5040	5540	....	....	....	....
F–1	F-63 27½/32 273-S	3600 to 3652	200	1160	1800	3300	2430	3300	6100	6700	2800	4300	8000	4950
F–4, 5	F-63 29½/32 306/B-61-SF	3668 to 3763	200	1250	2000	3930	2600	3700	6960	7650	3200	4900	8000	5650
F–5	F-63 29½/32 306/B-62-SF	3763 to 3768												
F–6	F-63 29½/32 314/B-61-SF	3769												
MC–2	MC-57 $\frac{26-40}{30}$ 394	4000 to 4016	200	1350	2200	4830	2900	4300	8000	....	....	....	....	....
MC–4	MC-57 $\frac{26-40}{30}$ 398	4017 to 4028												
MC–6	MC-57 $\frac{26-40}{30}$ 401-S	4029 to 4040, 4042, 4043	200	1350	2200	4830	2900	4300	8000	....	3350	....	....	....
MC–6	MC-57 $\frac{26-40}{30}$ 395-S	4044 to 4048												
MM–2	MM-63 $\frac{25-38}{28}$ 320-SF	4200 to 4211	200	1130	1650	3510	2450	3250	6270	6890	2600	4400	8000	5050
MT–1,3,4	MT-73 28/30 246/B-60-SF	4300 to 4350	210	1000	1660	3340	2310	3240	6220	6850	2500	3850	7800	4500
SP–1	SP-63 $\frac{25}{28\;32}$ 316/B-60-SF	5000 to 5015	225	1440	2300	4750	3140	4350	8000	....	3650	5400	8000	6250
SP–2	SP-63 $\frac{25}{28\;32}$ 317/B-61-SF	5016 to 5038												
Allowance for Empty and Unloaded Cars		Less than 40 M's	..	3	3	3	3	3	6	6	3	3	6	6
		40 M's to 50 M's	..	0	0	0	0	0	3	3	0	0	3	3
		More than 50 M's	..	0	0	0	0	0	0	0	0	0	0	0

RULING GRADES

District	Per Cent Grade	Degree Maximum Curve	Per Cent Equivalent Grade
Gerber to Dunsmuir	1.27	10°	1.27
Middle Creek to Gerber	0.80	2°	0.87
Dunsmuir to Edgewood	2.2	14°	2.2
Snowdon to Edgewood	1.00	10°	1.00
Edgewood to Hornbrook	1.00	10°	1.00
Hornbrook to Ashland	3.3	14°	3.3
Hornbrook to Snowdon	1.8	10°	1.8
Dunsmuir to Mt. Shasta	2.2	14°	2.2
Mt. Shasta to Grass Lake	1.42	10°	1.42
Klamath Falls to Kirk	0.85	4°	0.85
Kirk to Crescent Lake	0.4	2°	0.4
Klamath Falls to Mt. Hebron	0.4	4°	0.4
Mt. Hebron to Grass Lake	1.0	4°	1.0

AVERAGE TARE WEIGHTS OF PASSENGER TRAIN CARS

Class	All Steel	Steel Underframe	Wood
Baggage—60 ft.	92,100		
Baggage—66 ft.	127,400		
Baggage—70 ft.	121,300		
Baggage			77,600
Baggage—(Dynamo)	102,700		
Baggage and Mail—60 ft.	102,200		
Baggage and Mail—69 ft.	123,900		
Baggage and Mail—70 ft.	127,500		
Baggage and Mail		97,800	78,600
Baggage and Passenger	117,250		72,300
Baggage—(CM&StP)	125,000		
Express Refr.—(NP RR)		74,000	60,000
“ “ —(GN RR)			70,000
“ “ —(A.R.E.) 40- 154		78,000	
“ “ “ 155- 224		89,000	
“ “ “ 500- 506		110,000	
“ “ “ 1101-1175		85,000	
“ “ —(P.F.E.) 500- 799		83,000	
Tea and Silk			48,100
Express, Horse	129,300		79,400
Postal	122,000		
Postal Storage 40 ft.	74,100		
Postal Storage 60 ft.	105,100		
Club	146,300	121,800	
Official	170,500	137,300	101,700
Official (CM&StP)	141,000		
Chair	101,700		84,700
Coaches 60 ft.	100,100		
Coaches 70 ft.	136,800		
Coaches 72 ft.	138,900		
Coaches 72 ft.—Interurban	120,000		
Coaches (CM&StP)	133,000		
Coaches			75,000
All-Day Lunch—Chair	100,500		
All-Day Lunch—Coach	96,300		
Cafe-Coach			117,200
Diner 70 ft.		134,900	129,000
Diner 72 ft.	154,400	146,900	133,500
Diner 77 ft.	153,300	156,600	
Diner 79 ft.	167,500		
Cafe-Observation			119,000
Observation		137,700	122,000
Pullman Observation	163,600	153,000	
Pullman Parlor	155,600	147,500	
Pullman Standard Sleeper	164,600	144,000	
Pullman Tourist	140,600	133,000	
CM&StP Tourist Sleeper	141,000		

TRAINMASTERS

J. J. SULLIVAN....................Dunsmuir, Cal.
H. A. SPRAGUE ....Klamath Falls, Ore.
H. G. McCARTHY ....Dunsmuir, Cal.
G. W. ROSE, Asst. Trainmaster, Crescent Lake, Ore.

CHIEF TRAIN DISPATCHER

M. A. WALLACE....................Dunsmuir, Cal.

ASSISTANT CHIEF TRAIN DISPATCHERS

T. F. CUSTER......................Dunsmuir, Cal.
P. B. BELL........................Dunsmuir, Cal.

ROAD FOREMAN OF ENGINES

A. CARR, Dunsmuir, Cal.

T. J. FOLEY,
Assistant Superintendent.

MAP OF THE SHASTA DIVISION

SOUTHERN PACIFIC COMPANY

AUGUST 5, 1926

JFM

SCALE OF MILES

REVISED AUG 31, 1926



0 5 10 20 30 40
OREGON
CALIFORNIA
CASCADE NATIONAL FOREST
DESCHUTES
DESCHUTES NATIONAL FOREST
GREAT SANDY DESERT
DOUGLAS
UMPQUA NATIONAL FOREST
JACKSON
CRATER NATIONAL FOREST
CRATER LAKE NATIONAL PARK
KLAMATH
KLAMATH INDIAN RESERVATION
LAKE
FREMONT NATIONAL FOREST
SISKIYOU NATIONAL FOREST
JOSEPHINE
SISKIYOU MTS
KLAMATH NATIONAL FOREST
SISKIYOU
MODOC
MODOC NATIONAL FOREST
MODOC LAVA BED
SHASTA NATIONAL FOREST
MT. SHASTA 14,380 FT.
TRINITY
TRINITY NATIONAL FOREST
HOOPA VALLEY INDIAN RESERVATION
HUMBOLDT
SHASTA
LASSEN
LASSEN NATIONAL FOREST
LASSEN NATIONAL PARK
MT LASSEN VOLCANO
TEHAMA
PLUMAS
PLUMAS NATIONAL FOREST
BUTTE
MADELINE PLAINS
BEND
CRESCENT LAKE
CRESCENT
KOTAN
MOWICH
PAUNINA
CHEMULT
LONROTH
DIAMOND LAKE
MAZAMA
CHINCHALO
FUEGO
KIRK
MARTIN
WARCO
LUMBERTON
CHILOQUIN
LOBERT
MODOC POINT
KLAMATH FALLS
UPPER KLAMATH LAKE
ALGOMA
WOCUS
PELICAN
CHELSEA
TEXUM
MIDLAND
WORDEN
IVAN
CALOR
DORRIS
MAY
SOMERSET
MACDOEL
MT HEBRON
JEROME
KEGG
GRAY
PENOYAR
GRASS LAKE
TULE OR RHETT LAKE
CLEAR LAKE
LOWER KLAMATH LAKE
BONANZA
DAIRY
HILDEBRAND
LAKEVIEW
GOOSE LAKE
WILLOW RANCH
DAVIS CREEK
ALTURAS
PAOLA
MERIDIAN
BAYLEYS
LIKELY
MADELINE
BROCKMANS
TERMO
RAVENDALE
WAVERLY
HORSE LAKE
ANTELOPE
SECRET VALLEY
MURRAY
HOT SPRINGS
WENDEL
AMEDEE
HONEY LAKE
SUSANVILLE
WESTWOOD JCT
WESTWOOD
LAKE ALMANOR
EAGLE LAKE
ROSEBURG
EDENBOWER
GREEN
DILLARD
ROUND PRAIRIE
DOLE
MYRTLE CREEK
RIDDLE
CANYONVILLE
COW CREEK
WEST FORK
GLENDALE
REUBEN
LELAND
HUGO
MERLIN
GRANTS PASS
ROGUE RIVER
GOLD HILL
CENTRAL POINT
MEDFORD
JACKSONVILLE
PHOENIX
TALENT
ASHLAND
STEINMAN
SISKIYOU
COLESTIN
HILT
HORNBROOK
KLAMATHON
THRALL
AGER
SNOWDEN
YREKA
MONTAGUE
GRENADA
GAZELLE
EDGEWOOD
WEED
BLACK BUTTE
MT. SHASTA
SHASTA SPRINGS
DUNSMUR
CASTLE CRAG
CASTELLA
SIMS
GIBSON
DELTA
SMITHSON
ELMORE
PITT
KENNETT
CORAM
MIDDLE CREEK
REDDING
ANDERSON
COTTONWOOD
BLUNT
RED BLUFF
PROBERTA
GERBER
TEHAMA
LOS MOLINOS
SACRAMENTO DIV.
SACRAMENTO RIVER
WEAVERVILLE
TRINITY RIVER
SOUTH FORK MTS